

MONODUR POLYESTER HEAVY DUTY:

Opening / Open Area %	Mesh Opening Inch	Mesh Count		Thread Diameter		Weight oz/yd ²
		Inch	CM	Inch	Micron	
2000/58 BLK	0.0787	9.7	3.8	0.0248	630	10.7
1400/55	0.0551	13.5	5.3	0.0197	500	10.3
1000/39	0.0394	15.7	6.2	0.0197	500	12.7
400/38	0.0157	36.3	14.3	0.0098	250	6.9
355/32	0.0140	40.6	16.0	0.0098	250	7.5
315/39	0.0124	50.8	20.0	0.0079	200	5.4
80/34	0.0031	185	73.0	0.0022	55	1.6
75/27	0.0030	173	68.0	0.0028	70	2.1
71/32	0.0028	203	80.0	0.0022	55	1.7
63/32	0.0025	229	90.0	0.0019	48	1.5
56/25	0.0022	229	90.0	0.0022	55	2.1
53/18	0.0021	203	80.0	0.0028	70	3.0
50/30	0.0020	279	110.0	0.0016	40	1.3
45/29	0.0018	305	120.0	0.0016	40	1.4
40/25	0.0016	318	125.0	0.0016	40	1.5
37.5/11	0.0015	229	90.0	0.0028	70	3.1
35.5/21	0.0014	330	130.0	0.0016	40	1.5
30/21	0.0012	381	150.0	0.0014	35	1.3
10/4	0.0004	508	200.0	0.0016	40	2.1
5/1.2	0.0002	559	220.0	0.0016	40	2.3
3/0.4	0.0001	559	220.0	0.0017	42	2.3