

MONODUR NYLON 6.6, HEAVY DUTY:

Opening / Open Area %	Mesh Opening		Mesh Count		Thread Diameter		Weight oz/yd2
	Inch	Micron	Inch	CM	Inch	Micron	
2000/52	0.0787	2000	9.1	3.6	0.0295	750	11.4
1600/52	0.0630	1600	11.4	4.5	0.0248	630	10.1
1400/49	0.0551	1400	11.4	4.5	0.0236	600	11.1
1250/49	0.0492	1250	14.2	5.6	0.0209	530	8.8
1000/49	0.0394	1000	17.8	7.0	0.0169	430	7.3
800/47	0.0315	800	21.8	8.6	0.0146	370	6.0
630/45	0.0248	630	26.9	10.6	0.0124	315	5.9
500/42	0.0197	500	33.0	13.0	0.0106	270	5.3
450/39	0.0177	450	35.3	13.9	0.0106	270	5.7
400/36	0.0157	400	37.8	14.9	0.0106	270	6.1
355/39	0.0140	355	45.0	17.7	0.0083	210	4.5
315/36	0.0124	315	48.5	19.1	0.0083	210	4.8
280/40	0.0110	280	57.7	22.7	0.0063	160	3.9
265/31	0.0104	265	53.3	21.0	0.0083	210	5.5
250/37	0.0098	250	62.0	24.4	0.0063	160	4.1
224/40	0.0088	224	71.6	28.2	0.0051	130	2.4
200/37	0.0079	200	77.0	30.3	0.0051	130	2.6
180/40	0.0071	180	89.2	35.1	0.0041	105	2.4
160/36	0.0063	160	95.8	37.7	0.0041	105	2.6
75/36	0.0030	75	203	80.0	0.0020	50	1.1
31.5/19	0.0012	31.5	356	140.0	0.0016	40	1.1
28/17	0.0011	28	381	150.0	0.0016	40	1.2
25/13	0.0010	25	368	145.0	0.0018	45	1.5
15/6.5	0.0006	15	432	170.0	0.0016	40	1.3

MONODUR NYLON 6.6, LIGHT:

Opening / Open Area %	Mesh Opening		Mesh Count		Thread Diameter		Weight oz/yd2
	Inch	Micron	Inch	CM	Inch	Micron	
600/64	0.0236	600	33.8	13.3	0.0059	150	1.5
400/47	0.0157	400	43.4	17.1	0.0071	180	3.2
265/47	0.0104	265	66.0	26	0.0039	100	1.8
132/40.5	0.0052	132	122	48	0.0028	70	1.4
85/43	0.0033	85	196	77	0.0018	45	0.9
67/49	0.0026	67	264	104	0.0012	30	0.8
40/33	0.0016	40	363	143	0.0012	30	0.7
35.5/29	0.0014	35.5	389	153	0.0012	30	0.7